

## Digi Multi Coater/Duplex/H24 is Coater which is three in one system for Primer Coating as pre-processing before printing and UV/Water-based Varnish Coating after printing.

Digi Multi Coater/Duplex/H24 is especially designed for HP Indigo 30000/12000 Digital Press and compatible with most offset, digital press, ink jet and photo based prints. The design of Digi Multi Coater allows for simple and automatic operation from start to finish and can do the duplex coating process in once by indepedent two coating units. The duplex coating makes it possible to improve the efficiency of coating process and productivity much higher. Digi Multi Coater/Duplex/H24 working with HP Indigo 30000/12000 Digital Press is the most effective system for primer coating before printing and UV, water-based liquid coating

## Specification

Coating Technology:	Sheet Fed Flood Coating for	Paper Thickness:	70 - 600gsm ( uncoated )	Power Supply:	200V~415V, 50/60Hz Three Phase
	UV / Water-based Varnish & Primer		90 - 600gsm ( coated )	Power Consumption:	38 KW
	IR Heater & UV Cure System	*Paper thickness may r	ot be applicable subject to the media material.	Dimensions:	L4.40m x W1.15m x H1.75m
	Duplex Coating	Coating Speed:	Max. 2,400 sheets / hour for UV Coating	Weight:	Approx. 3720kg
Coating Thickness:	6~14 Microns		Max. 2,400 sheets / hour for Primer Coating		
Coating Paper Size:	Max. 545mm x 788mm	*Speed is variable depending on the paper (type, thickness), environment (temperature, humidity), and/or coating type (varnish or primer coating).			
	(HP Indigo 30000/12000 : 530mm x 750mm)	Feeder stacking height:	850mm		
Coating Width:	Max. 580mm	Stacker stacking height:	850mm		

\*The specification may be changed without notice.

BN Technology Corporation, 4-15-7 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-0023, Japan TEL: +81-3-5365-2551 URL: http://www.bn-technology.co.jp